

MATERIAL SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name:	Electrilo Heavy	Code: 2544-UK
Application:	Cable Box Compound	
Company:	Electrical Oil Services Limited	
Address:	PO BOX 79 Ellesmere Port CH65 4WD	
Telephone :	0845 6021003	Fax: 0845 6021004

2: COMPOSITION/INFORMATION ON INGREDIENTS

Composition: Highly refined mineral oil

Hazardous Ingredient(s) Symbol Risk Phrases Other Information %

None of the ingredients of this product are classified as hazardous.

All constituents of this product are listed in EVINCES (European Inventory of Existing Commercial Chemical Substances or ELINCS (European List of Notified Chemical Substances) or are exempt.

Refer to Section 8 for Occupational Exposure Limits.

3: HAZARDS IDENTIFICATION

This product is NOT classified as hazardous.

4: FIRST AID MEASURES

Eyes: Irrigate immediately with copious quantities of water for several minutes.

Skin: Wash thoroughly with soap and water or suitable skin cleanser as soon as possible.

Inhalation: Remove from exposure.

Ingestion: Obtain medical attention. DO NOT induce vomiting

5: FIRE FIGHTING MEASURES

Issue No: 01	Date: 01/11/1999	Code: 2544-UK	Page 1of 4	
--------------	------------------	---------------	------------	--

Suitable Extinguishing media: Carbon dioxide, powder, foam or water fog - do not use water jets.

Special Exposure Hazards: None.

Special Protective Equipment: None.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Spilt product presents a significant slip hazard
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Soak up with inert absorbent or contain and remove by best
	available means.

7: HANDLING AND STORAGE

Storage: No special precautions.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure limits:-

Substance	8 Hr.TWA	STEL	Source/Other Information
Mineral oil (see Oil mist, mineral)	5mg/m³	10 mg/m³	EH40 (OES)

Engineering Control Measures: Mechanical methods to minimise exposure must take precedence over personal protective measures.

Personal protective Equipment: Avoid skin and eye contact. Wear impervious gloves (e.g. PVC), in case of repeated or prolonged contact.

Change contaminated clothing immediately and

clean before

re-use.

9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Colour: Odour: Boiling Point/Range (°C): Pour Point (°C): Kinematic Viscosity @ 40 °C (cSt): Flash Point (closed °C): Autoignition (°C) Explosive Properties (%): Relative Density (at 20°C) Water Solubility: Fat Solubility: Liquid Amber Mild Above 250 Below minus 9 380 Above 180 Above 250 Not determined Below 1.0 Insoluble Not determined

10: STABILITY AND REACTIVITY

Issue No: 01

Date: 01/11/1999

Code: 2544-UK

Page 2of 4

Handling: To avoid the possibility of skin disorders, repeated or prolonged contact with products of this type must be avoided. It is essential to maintain a high standard of personal hygiene.

Stability: Conditions to Avoid: Materials to Avoid: Hazardous Decomposition Products: Stable, will not polymerise Temperatures (°C) above 90 Strong oxidising agents None

11:TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on a knowledge of the toxicity of the product's components. Expected oral LD_{50} rat >2g/kg.

Health Effects:

On Eyes:	May cause transient irritation
On Skin:	Unlikely to cause harm on brief or occasional contact
By Inhalation:	Mist and vapours may cause irritation to nose and respiratory tract.
By Ingestion:	May cause nausea, vomiting and diarrhoea
Chronic:	Repeated and prolonged skin contact may lead to skin disorders
Other:	None known

12: ECOLOGICAL INFORMATION

Environmental Assessment:	When used and disposed of as intended, no adverse environmental effects are foreseen.
Mobility:	Non-volatile. Mobile liquid. Insoluble in water.
Persistence and Degradability:	Inherently biodegradable.
Bioaccumulative Potential:	Bioaccumulative based on logP values of constituents.
Ecotoxicity:	Not expected to be toxic to aquatic organisms.
	Not expected to be inhibitory to sewage bacteria.

13: DISPOSAL CONSIDERATIONS

Disposal must be in accordance with local and national legislation.	
be sent for reclamation	
se of through an authorised waste contractor to a licensed site	
be incinerated	
be disposed of through an authorised waste contractor	
be steam cleaned and recycled	

14: TRANSPORT INFORMATION

This product is NOT classified as dangerous for transport.

15: REGULATORY INFORMATION

This product is NOT classified as dangerous for supply in the UK.

Hazard Label Data:-

EC Directives:	Waste Oil Directive, 87/101/EEC Framework Waste directive, 91/156/EEC
Statutory Instruments:	Health & Safety at Work, etc. Act 1974 Consumer Protection Act 1987
	Environmental protection Act 1990
Codes of Practice:	Waste management. The Duty of Care
Guidance Notes:	Occupational exposure limits (EH40)
	Carcinogenicity of mineral oils (EH58)
	Skin cancer caused by oil [MS(B)5].
	Save your skin! - Occupational Contact Dermatitis [MS9B)6].
	Dermatitis - cautionary notice [SHW 367].
	Effects of mineral oil on the skin [SHW 397].

The above publications are available from HMSO or HSE.

16: OTHER INFORMATION

The data and advice given apply when the product is sold for the stated application or applications. The product is not sold as suitable for any other application. Use of the product for applications other than as stated in this sheet may give rise to risks not mentioned in this sheet. You should not use the product other than for the stated application or applications without seeking advice from us.

If you have purchased the product for supply to a third party for use at work, it is your duty to take all necessary steps to secure that any person handling or using the product is provided with the information in this sheet.

If you are an employer, it is your duty to tell your employees and others who may be affected of any hazards described in this sheet and of any precautions which should be taken.

Further copies of this Safety Data Sheet may be obtained from Electrical Oil Services Limited.